The Alva pendant takes a step back into the past but with a very modern twist. This nostalgic pendant is inspired by the classic squirrel light bulb and lamp giving it timeless appeal. The Alva pendant features a powerful downward firing LED that is hidden within the "socket" illuminating through a solid "bulb" of pure optic crystal. "Filaments" are designed using a cutting edge laser technique that precisely etches a filament design into each crystal giving it the appeal of a 1920's Edison style squirrel cage lamp. Fully customize the Alva by selecting any of the eight cord colors and three modern finishes.

#### **Product features**

- · 3 finish options
- Fully dimmable LED lamping options to create the desired ambiance
- 9 watt, 200 delivered lumen, 3000K, 2200K or warm color dimming 3000K-2200K LED module
- Dimmable with ELV or Triac dimmer
- 8 cord color options
- · Available in 1-Light Pendant, 3-Light, 7-Light and 11-Light Chandelier
- · Locus Accessory and Swag Hook options sold separately
- Includes a 4.5" matching canopy
- 5 year warranty

### **SPECIFICATIONS**

| FIXTURE HEIGHT                                             | 7.1"                                                                                                         |
|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| FIXTURE DIAMETER                                           | 3.6"                                                                                                         |
| WEIGHT                                                     | 4 lbs                                                                                                        |
| CORD LENGTH                                                | 144"                                                                                                         |
| DELIVERED LUMENS                                           | 241 each                                                                                                     |
| WATTS                                                      | 9 each                                                                                                       |
| VOLTAGE                                                    | 120V                                                                                                         |
| DIMMING                                                    | ELV, Triac                                                                                                   |
| LIGHT DISTRIBUTION                                         | Omnidirectional                                                                                              |
|                                                            |                                                                                                              |
| MOUNTING OPTIONS                                           | 4" square or octagon electrical box                                                                          |
| MOUNTING OPTIONS                                           | 4" square or octagon electrical box<br>3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module          |
|                                                            | 3000K, 2200K or Warm Color Dimming                                                                           |
| ССТ                                                        | 3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module                                                 |
| CCT<br>CRI                                                 | 3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module<br>90+                                          |
| CCT CRI GENERAL LISTING                                    | 3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module<br>90+                                          |
| CCT CRI GENERAL LISTING FIELD SERVICEABLE LED              | 3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module<br>90+<br>ETL<br>Yes                            |
| CCT CRI GENERAL LISTING FIELD SERVICEABLE LED CONSTRUCTION | 3000K, 2200K or Warm Color Dimming<br>3000K-2200K LED module<br>90+<br>ETL<br>Yes<br>Aluminum, Optic Crystal |



ALVA 1-LIGHT PENDAN shown in black with red cord & locus accessory 18" in black















pendant

chandelier

## 1-LIGHT PENDANT



aged brass with black cord



with gray cord



satin nickel with white cord

## 3-LIGHT CHANDELIER



aged brass with red cord



aged brass with blue cord

## 7-LIGHT CHANDELIER



black with copper cord



black with orange cord

## 11-LIGHT CHANDELIER



satin nickel with red cord

## LOCUS ACCESSORY



aged brass with black & white cord shown with locus accessory 18" in aged brass



shown with locus accessory 13" in black



black with white cord shown with locus accessory 23" in satin nickel



### MULTI-PORT CANOPY OPTIONS

Mount to a standard 4" junction box with round plaster ring (provided by electrician).

| 700TDMRD                                                         | SIZE                                                                       | CANOPY  | FINISH                                                       |
|------------------------------------------------------------------|----------------------------------------------------------------------------|---------|--------------------------------------------------------------|
|                                                                  | 3 3-PORT<br>7 7-PORT<br>11 11-PORT <sup>1</sup><br>19 19-PORT <sup>2</sup> | T METAL | R AGED BRASS Z ANTIQUE BRONZE B BLACK S SATIN NICKEL W WHITE |
| <sup>1</sup> 11-PORT CANOPY ON<br><sup>2</sup> 19-PORT CANOPY ON |                                                                            |         | LACK AND SATIN NICKEL.<br>ATIN NICKEL.                       |



## SWAG HOOK OPTION

Use as a creative tool to gracefully change a pendant's point of suspension from the mounting canopy to any point on the ceiling. Order one for each pendant.



- R AGED BRASS
- Z ANTIQUE BRONZE B BLACK S SATIN NICKEL W WHITE









CORD COLOR OPTIONS







black & white

blue

copper

gray



orange





white red


### LOCUS ACCESSORY OPTIONS

Available in three sizes, this clean, circular accessory adds dimension and scale as it frames Tech Lighting's socket and cord style pendants including Mina, SoCo and Alva (sold separately).

| 700LOCUSR | SIZE                      | CANOPY FINISH   | Н |
|-----------|---------------------------|-----------------|---|
|           | 13 13" SMALL <sup>1</sup> | R AGED BRASS    |   |
|           | 18 18" MEDIUM             | <b>B</b> BLACK  |   |
|           | 23 23" LΔRGE              | S SATINI NICKEL |   |

113" ONLY AVAILABLE IN BLACK AND SATIN NICKEL







### ORDERING INFORMATION

| 700TDALVPMC SIZE CC | ORD COLOR | HARDWARE FINISH | LAMP |
|---------------------|-----------|-----------------|------|
|---------------------|-----------|-----------------|------|

- 1-LIGHT PENDANT
  3 3-LIGHT CHANDELIER
  7 7-LIGHT CHANDELIER
  11 11-LIGHT CHANDELIER
- B BLACK
  I BLACK & WHITE
  U BLUE
  P COPPER
  Y GRAY
  O ORANGE
  R RED
  W WHITE
- R AGED BRASS
  B BLACK
- -LEDWD
   LED 90 CRI WARM COLOR DIMMING 3000-2200K 120V

   -LED922
   LED 90 CRI 2200K 120V

   -LED930
   LED 90 CRI 3000K 120V
- S SATIN NICKEL -LED930 LED 90 CRI 3000K 1

# PROJECT INFO

| FIXTURE TYPE & QUANTITY | JOB NAME & INFO | NOTES |
|-------------------------|-----------------|-------|
|                         |                 |       |
|                         |                 |       |

TECH LIGHTING

VISUAL COMFORT & CO.

**(II)** 

© 2021 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark. Tech Lighting reserves the right to change specifications for product improvements without notification.

7400 Linder Avenue, Skokie, Illinois 60077 T 847.410.4400